Sheet 1 of 4

FORM PTO-1449				U.S. Dept. of Commerce Patent and Trademark Office	Aπy Docket No.			Serial No. 09/738.540	
Patent and Tradema  LIST OF DISCLOSURES CITED BY APPLICANT				Patent and Trademark Office	Applicant Let ct al.				
(Use several sheets if necessary)					Filing Date Grou		•		
			14		4 Dec 200	1 Dec 2000 1644			
				U.S. PATENT DOCUMENTS					
Examiner Initials		Document Number	Date	Name		Class	Subclass	Filing	g Date
MH	1	5,336,603	09.08 94	Capon et al.					
1	2	5,514,582	07 05,96	Capon et al.					
	ذ	5,565,335	15,10.96	Capon et al.					
	4	5,594,106	14.01.97	Black et al.		<del></del>	<del></del> -		
<b>\</b>	5	5,605,690	25 02.97	Jacobs et al.					
	6	5,629,285	13.05.97	Black et al.		<del></del>			
1	7	5,654,407	05 08 97	Boyle et al.			<del>- </del>		
	8	5,656,272	±2 08.97	Le et al.					
	و	5,698,195	16.12.97	Le et al.		<del></del>	+		
	10	5,712,155	27.01.96	Smith et al.					
	11	5,795,967	18.08 98	Aggarwal et al.	•				
	12	5.919.452	06.07 99	Le et al.		<u> </u>		-	
1	13	5,945,397	31.08.99	Smith et al	-			-	
- 1	14	5,981,701	09.11.99	wallach et al	1				
1	15	5,985,620	16.11.99	Sloud					
	16	5,994,510	30 11.99	Adair ut al				<del>- </del>	
M H	17	5,997,867	07.12.99	Waldmann et al.				-	
				FOREIGN PATENT DOCUMENTS	——— }				
Examiner		Υ	<u> </u>					Transl	ation
Initials		Document Number	Date	Country		Class	Subclass	Yes	No
MH	18	212,489 Bl	30.11.94	£PO					
1	19	218,868 A3	32.04.87	EPO				-	
	20	288,088 Bl	09 03.94	290				-	1
	21	308,378 Bl	30.11 94	EPO				-	
	22	398,327 B1	15 03.95	EPO				-	l
1 1	23	412,486 B1	30.11.94	EPO	1			7	
1 1	24	433,900 B1	20 09,95	EPO				-	
1	25	526,905 A2	10.02.93	EPO	1			7	
	26 27	WO 00/56363 WO 92/07076	28 09 00 30.04.92	PCT			-	-	
l i	28	WO 92/07076 WO 92/11383	09 07.92	PCT	1			_	
1	29	WO 92/11383 WO 92/13095	06 08.92	PCT	1				
1	30	WO 92/16553	01.10.92	PCT	1	<del></del>		4	
	31	WO 97/29131	14.08.97	PCT				→ ,	
	52	WO 98/22137	28.05.98	PCT	4	<del></del>		+	
* mrt	33	wo 98/23761	04 06.98	PCT		<u> </u>		-	
Examine	; <del>)</del> r	1		l Da	ite Cons	udered			
Maher Haddael				1	Date Considered 2/4/03				
	er: Ini	tial if reference consid		ot citation is in conformance with MPEP of this form with next communication to	609, dra	w line throu	igh citation		
					-1-le-1-4				

USCOMM-DC 80-398.



Sheet 2 of 4

FORM	M PTO-	0-1449 U.S. Dept. of Commerce	Atty Docket No	Serial No		
Patent and Trademark Office			P1795R1	09/738,540		
LIST	OF D	DISCLOSURES CITED BY APPLICANT	Applicant  Lee er al.			
(t	Jse se	everal sheets if necessary)	Filing Date 14 Dec 2000	Group 1644		
		OTHER DISCLOSURES (Including Author, Title, Date	e. Pertinent Pages, etc.)			
	Ι	Aderka et al., "The possible role to tumor necrosis factor (Th	NF) and its natural in			
WH	34	soluble-TNF receptors, in autolumnume diseases" <u>Isgl. J. Med. Sci.</u> 28 126-130 (1992)				
mH	35	Bringman and Aggarwal, "Monoclonal Antibodies to Human Tumor Necrosis Factor Alpha and Beta: Application for Arfinity Purification, Immunoassays, and as Structural Probes" <u>Hybridoma</u> 6:489-507 (1987)				
mtl	36	prolonged production of IL-Iu- Clin Exp. Immunol 73 449-455	Buchan et al., "Interleukin-1 and tumour necrosis factor mRNA expression in rhaumatoid arthritis;" prolonged production of 1L-10" Clic. Exp. Immunol. 73 449-455 (1988)			
mH	37	Campana et al., 'Human leukocyte function-associated antigens on lympho-hemopoletic precursor cells' European Journal of Impunology 16(5):537-542 (May 1986)				
mH	38	Chen et al., "Chondrocyte Transplantation and Experimental Treatment Options for Articular Cartilage Defects" Amer J Orthon 26(6):396-406 (1997)				
MH	39	Desroches et al., "Regulation and Functional Involvement of Distinct Determinants of Leucocyte Function-Associated Antigen 1 (LFA-1) in T-Cell Activation In Vitro Scand J. Imminol 33 277-286 (199)				
mH	40	Dustin and Springer, Tymphocyte function-associated antigen-1 (LFA-1) interaction with intercellular adhesion molecule-1 (ICAM-1) is one of at least three mechanisms for lymphocyte adhesion to cultured endothelial cells: Journal of Cell Biology 107(1):321-331 (Jul 1988)  Engelmann et al.: "A Tumor Necrosis Factor-binding Protein Purified to Homogeneity from Human Usine				
mH	9.7	Protects Cells from Tumor Necrosis Factor Toxicity' <u>Journal of</u> (1989) Engelmann et al., 'Two Tumor Necrosis Factor-binding Proteins	E Blological Chemistry	264.11974-11980		
mH	42	Biological Chemistry 265(3):1531-1536 (1990)	Piological Chemistry 265(3):1531-1536 (1990)			
mH	43		<del></del> -	, , , , , , , , , , , , , , , , , , ,		
mH	44		Clin Lab Immunol	31 145-149 (1990)		
mH	45	Feldmann, M., "What is the Mechanism of Action of Anti-Tumor N Arthritis?" Int Arch Allergy Immunol 111:362-365 (1996)				
mH	46	Fendly et al., Murine Monoclonal Antibodies Defining Neutrali <u>Hybridoma</u> 6:359-369 (1987)				
mH	47	Fischer et al., "Role of the LFA-1 Molecule in Cellular Interactions Required For Antibody Production in Humans" The Journal of Immunology 136(9):3198-3203 (May 1, 1986)				
mH	48	Cao and Issakutz, "Mac-1 (CDIIb/CD18) is the predominant $\beta_2$ (CD18) integrin mediating human neutrophil migration through synovial and dermal fibroblast barriers. Immunology 88:463-470 (1996)				
MH	49	Rerve et al., "Monoclonal Acti a Artibody fo the Treatment of Sever Acute GVHD in Humans" <u>Lymphoma Res</u> (Abstract No 3.25) 9:591 (1990)				
mH	50	Hildreth et al . "A Human Lymphocyte-associated Antigen Involved in Cell-mediated Lympholysis" <u>European</u> Journal of Immunology 13 202-208 (1983)				
mH		Hirai et al., "Production and characterization of monoclonal antibodies to human tumor necrosis factor" [J. Immunol Meth. 96:57-62 (1987)				
mtt	52	Howard et al., "Soluble Tumor Necrosis Factor Receptor: Inhibition of Human Immunodeficiency Virus Activation" Proc Natl. Acad. Sci. USA 90 2335-2339 (1993)				
	<del></del>	·				
Examine	Ma		Date Considered			
Examin if not	er: Ini	nitial if reference considered, whether or not citation is in conformance with MPEP formance and not considered. Include copy of this form with next communication	609; draw line through cita	ation		

Sheet 3 of 4

FOR	м рто	-1449 U.S. Dept. of Commerce	Atty Docket No.	Senal No.			
Patent and Trademark Office			Ce P1795RI	09/738,540			
LIS	T OF D	SCLOSURES CITED BY APPLICANT	Applicant Lee et al.	1 ''			
Ι,	مو موا ا	veral sheets if necessary)	Filing Date	Group			
Ĺ`	(USE SEVERAL SHEETS II HOLESSALY)			1644			
		OTHER DISCLOSURES (Including Author, Title, D					
m#	53	Isaacs et al., "Humanized anti-CD4 monoclonal antibody therapy of autoimmune and inflammatory diseas Clinical & Experimental immupology 110(2):158-166 (Nov 1997)					
mH	54	Ishikawa et al., "The Role of Adhesion Molocules in Synovial Pannus Formation in Rhoumatoid Arthritis" Clinical Orthopaedics and Related Research 300:297-303 (1994)					
мH	55	Joosten et al., "IL-lub Blockade Prevents Cartilage and Bone Destruction in Murine Type II Collagen-Induced Arthritis, whereas TNF-n Blockade Only Ameliorates Joint Inflammation" 1. Immunol 163:5049-5055 (1999)					
mH	56	Kremer, J.M., "Combination therapy with biological agents in rheumatoid arthritis: perils and promise Archritis and Rheumarism 41(9):1548-1551 (1998)					
MH	57	Krensky et al., The Functional Significance, Distibution, and Structure of LFA-1, LFA-2, and LFA-3; Cell Surface Antigens Associated with CTL-Target Interactions The Journal of (mmunology 131(2):611-616 (August 1983)					
MH	58	Kuypers and Roos, "Leukocyte Membrane Adhesion Proteins LFA-1, CR3 and p150,\$5: A Review of Functional and Regulatory Aspects" Res. Lumunoi 140:461-486 (1989)					
mH	59	Liang et al., "Production and characterization of monoclonal antibodies against recombinant human tumor necrosis factor/cachectin" <u>Biochem. &amp; Biophys. Res. Comm.</u> 137:847~854 (1986)					
MH	00	Loetscher et al., "Molecular Cloning and Expression of the Human 55 kd Tumor Necrosi: Factor Receptor" Cell 61 351-359 (1990)					
MH	61	Lovell et al., "Safety and Efficacy of Tumor Necrosis Factor Receptor P75 FC Fusion Protein" <u>Arthritis</u> and Rheumatism (Abstract No. 584) 41(9),5130 (1998)					
МН	62	Maini et al Therapectic efficacy of multiple intravenous infusions of anti-tumor necrosis factor u monoclonal antibody combined with low-dose weekly methotrexate in rheumacoid arthritis and Rheumation 41(9):1552-1563 (1998)					
МН	63	Meager et al., "Preparation and Characterization of Monoclonal Antibodies Directed Against Antigenic Determinants of Recombinant Human Tumor Necrosia Factor (rTNF)" Hypcidoma 6:305-311 (1987)					
КH	64	Mohler et al., "Soluble tumor necrosis factor (TNF) receptors are effective therapeutic agents in lethal endotoxemia and function simultaneously as both TNF carriers and TNF antagonists" <u>lournal of Immunology</u> 151(3) 1548-1561 (Aug 1, 1993)					
HH	65	Moller et al., "Monoclonal Antibodies to Human Tumor Necrosis Factor $\alpha$ . In Vitro and In Vivo Application" <u>Cytokine</u> 2:162-169 (1990)					
MH	66	Moreland ut al., "Etanercept Therapy in Rheumatoid Arthritis: A Randomized, Controlled Trial" Annals of Internal Medic:ne 130:478-486 (1999)					
MH	67	Moreland et al "Longterm Treatment of DMARD Failing Rheumatold Arthritis Fatients with TNF Receptor" P75 Fc Fulion Protein" J. Invest Med. (abstract only) 46:229A (1998)					
m#	68	Nakatsuka et al., "Rheumatoid Synovial Fibroblasts are Stimulated by the Cellular Adhesion to T Cells Through Lymphocyte Function Associated Antigen-1/Intercellular Adhesion Molecule-1" <u>J. Rheumatology</u> 24.458-464 (1997)					
MH		Nishimura et al., "The role of lymphokine-activated cell-associated antigen III. Inhibition of T-cell activation by monoclonal killer-blocking antibody" Cellular Tommunology 107(1) 32-39 (Jun 1987)					
mH	70	Nopher et al., "Soluble Forms of Tumor Necrosis Factor Receptors (TNF-Rs). The cDNA for the Type I TNF-R, Cloned Using Amino Acid Sequence Data of its Soluble Form, Encodes Both the Cell Surface and a Soluble Form of the Receptor " EMBO Journal 9:3269-3278 (1990)					
MH		Peppel et al., "A Tumor Necrosis Factor (TNF) Receptor-IgG Heavy Chain Chimeric Protein as a Bivalent Antagonist of TNF Activity" <u>Journal of Experimental Medicine</u> 174 1483-1489 (1991)					
MH	72	Sanchez-Madrid et al . "Mapping of antigenic and functional epitopes on the G-and B-subunits of two related mouse glycoproteins involved in cell interactions, LFA-1 and MAC-1" <u>Journal of Experimental</u> Medicine 158(2) 586-602 (Aug 1, 1983)					
Examiner Maker Haddad 2/4/03							
Examin	er: Init	tial if reference considered, whether or not citation is in conformance with MPE ormance and not considered. Include copy of this form with next communication	P 609; draw line through cr	ration			

Sheet 4 of 4

				7.00		
FORM PTO-1449 U.S. Dept. of Commerce			Atty Docket No.	Serial No. 09/738,540		
		Patent and Trademark Office	P1795R1	09/738,340		
LIST	OF DI	SCLOSURES CITED BY APPLICANT	Applicant Les et al.			
(			Filing Date	Group		
("	ise sev	veral sheets if necessary)	14 Dec 3000	1644		
		OTHER DISCLOSURES (Including Author, Title, Date				
MH	73	Schall et al., "Molecular Cloning and Expression of a Receptor 61:361-370 (1990)	for Human Tumor Nec	rosis Factor Cell		
mH	74					
mH	75	Spencer-Green, G., "Etamorcept (Embrel): update on therapeutic use" Ann. Rheum Dis 59:146-149 (2000)				
MH	76	Springer at al., "LFA-1 and Lyt-2,3, molecules associated with T lymphocyte-mediated killing; and Mac-1, an LFA-1 homologue associated with complement receptor function" Immunol, Rev. 58:171-195 (1982)				
mH	77	Springer at al , "The lymphocyte function-associated LFA-1, CD2, and LFA-3 molecules: cell adhesion receptors of the immune system" <u>Angual Review of Immunology</u> 5:223-252 (1987)				
mtt	78	Strand et al., "Biological Agents for the Treatment of Rheumatoid Arthritis" Clincal Immunology and the Rheumatologist 22(1):117-132 (1996)				
mH	79	raylor of al , "The expression of CD18 is increased on Trisomy 21 (Down syndrome) lymphoblastoid cells" Clinical & Experimental Immunology 71(2):324-328 (Feb 1988)				
m#	80	Ulich et al , "Short Communication: Infratracheal Administration of Endotoxin and Cytokines Iv. The Soluble Tumor Necrosis Factor Receptor Type I Inhibits Acute Inflammation" American Journal of Parnology 162(5):1335-1338 (1993)				
mH	81	Weinblatt et al . "A Trial of Etanercept, a Recombinant Tumor Necrosis Factor Receptor: Fc Fusion Protein, in Patients with Rheumatoid Arthritis Receiving Methotrexate" New England 3 of Medicine 340(4):253-259 (1999)				
mH	82	Williams et al., "Acti-tumor necrosis factor ameliorates joint disease in murine collagen-induced arthritis" <u>Proc. Natl. Acad. Sci. USA</u> 89 9784-9788 (1992)				
mH	83	Williams et al., "Synergy between anti-CD4 and anti-tumor necrosis factor in the amelioration of established collagen-induced arthritis" <u>Proc. Natl. Acad. Sci. USA</u> 91:2762-2766 (1994)				
mt	84	Williams, R.O. "Combination therapy in mice: what can we lear rneumatord arthritis" Springer Seminars in Immunopathology 20:		for understanding		
MH	85	Wooley et al., "Influence of a Recombinant numan Soluble Tumor Protein on Type If Collagen-Induced Arthriti: In Mice" The Jou				
	· ····					
	_					
Examine	TY		ate Considered 2/4/03			
*Examin if not i	er: In	stal if reference considered, whether or not citation is in conformance with MPEP formance and not considered. Include copy of this form with next communication	609, draw line through c to applicant.	itation		